



â

Microbac Laboratories, Inc.

HAUSER DIVISION
4750 Nautilus Court South
Unit A
Boulder, CO 80301
(720) 406-4800 Fax (303) 581-0195
Steve Ferry, Managing Director, Hauser Division
<http://www.microbac.com> E-Mail: steve.ferry@microbac.com

CERTIFICATE OF ANALYSIS

Bottle Cap Co.
Josh Kinney
976 Cobblestone Way
Eagle, ID 83616

Date Reported 01/29/10
Date Received 01/27/10
Order Number 1001-00302
Invoice No. 13217
Cust # B121
Customer P.O. check # 5577

| Sample | Analysis | Method | Test Result | Units | Minimum Reporting Limit | Actual Result | Date | Tech |
|--------|--------------------------------------|-------------------|-------------|-------|-------------------------|---------------|----------|------|
| 001 | White | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 01/28/10 | JLF |
| 002 | Orange | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | 114 | ppm | 90 | 114 | 01/28/10 | JLF |
| 003 | Blue | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 01/28/10 | JLF |
| 004 | Green | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 01/28/10 | JLF |
| 005 | Black | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 01/28/10 | JLF |
| 006 | Silver (matte) | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 01/28/10 | JLF |
| 007 | Chrome (with chrome interior) | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 01/28/10 | JLF |
| 008 | Chrome (with gold interior) | | | | | | | |



â

Microbac Laboratories, Inc.

HAUSER DIVISION
 4750 Nautilus Court South
 Unit A
 Boulder, CO 80301
 (720) 406-4800 Fax (303) 581-0195
 Steve Ferry, Managing Director, Hauser Division
 http://www.microbac.com E-Mail: steve.ferry@microbac.com

CERTIFICATE OF ANALYSIS

Bottle Cap Co.
 Josh Kinney
 976 Cobblestone Way
 Eagle, ID 83616

Date Reported 01/29/10
 Date Received 01/27/10
 Order Number 1001-00302
 Invoice No. 13217
 Cust # B121
 Customer P.O. check # 5577

| Sample | Analysis | Method | Test Result | Units | Minimum Reporting Limit | Actual Result | Date | Tech |
|--------|--|-------------------|-------------|-------|-------------------------|---------------|----------|------|
| 008 | Chrome (with gold interior)continued | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 01/28/10 | JLF |
| 009 | Gold | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 01/28/10 | JLF |
| 010 | Red | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 01/28/10 | JLF |
| 011 | Jumbo Size Bottle Cap | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 01/28/10 | JLF |
| 012 | Mini Size Bottle Cap | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 01/28/10 | JLF |
| 013 | Magnet | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 01/28/10 | JLF |



â

Microbac Laboratories, Inc.

HAUSER DIVISION
4750 Nautilus Court South
Unit A
Boulder, CO 80301
(720) 406-4800 Fax (303) 581-0195
Steve Ferry, Managing Director, Hauser Division
<http://www.microbac.com> E-Mail: steve.ferry@microbac.com

CERTIFICATE OF ANALYSIS

Bottle Cap Co.
Josh Kinney
976 Cobblestone Way
Eagle, ID 83616

Date Reported 01/29/10
Date Received 01/27/10
Order Number 1001-00302
Invoice No. 13217
Cust # B121
Customer P.O. check # 5577

| Sample | Analysis | Method | Test Result | Units | Minimum Reporting Limit | Actual Result | Date | Tech |
|--------|----------|--------|-------------|-------|-------------------------|---------------|------|------|
|--------|----------|--------|-------------|-------|-------------------------|---------------|------|------|

Flags, footnotes and abbreviations (as needed)

| | |
|---|---------------------------------------|
| *OST = Outside Subcontracted Testing (For more details, please contact the Project Manager) | |
| NA = Not Analyzed | |
| N/A = Not Applicable | mg/L = Milligrams per Liter (ppm) |
| CFU = Colony Forming Units | mg/kg = Milligrams per Kilogram (ppm) |
| IU = International Units | ug/L = Micrograms per Liter (ppb) |
| g/100g = Grams per 100g of sample | ug/kg = Micrograms per Kilogram (ppb) |

Report Authorized by Steve Ferry (Managing Director: Hauser Division)

Technical review performed by Project Manager (signature on file)

For any feedback concerning our services, please contact the Managing Director or James Nokes, President at james.nokes@microbac.com



â

Microbac Laboratories, Inc.

HAUSER DIVISION
 4750 Nautilus Court South
 Unit A
 Boulder, CO 80301
 (720) 406-4800 Fax (303) 581-0195
 Steve Ferry, Managing Director, Hauser Division
<http://www.microbac.com> E-Mail: steve.ferry@microbac.com

CERTIFICATE OF ANALYSIS

Bottle Cap Co.
 Josh Kinney
 976 Cobblestone Way
 Eagle, ID 83616

Date Reported 05/28/10
 Date Received 05/27/10
 Order Number 1005-00366
 Invoice No. 14727
 Cust # B121
 Customer P.O. check #5621

| Sample | Analysis | Method | Test Result | Units | Minimum Reporting Limit | Actual Result | Date | Tech |
|--------|-------------------------------|-------------------|-------------|-------|-------------------------|---------------|----------|------|
| 001 | Pink | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 05/28/10 | JLF |
| 002 | Hot pink | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 05/28/10 | JLF |
| 003 | Lime green | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 05/28/10 | JLF |
| 004 | Washer | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 05/28/10 | JLF |
| 005 | Super Jumbo bottle cap | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 05/28/10 | JLF |
| 006 | White | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 05/28/10 | JLF |
| 007 | Orange | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | 114 | ppm | 90 | 114 | 05/28/10 | JLF |
| 008 | Blue | | | | | | | |



â

Microbac Laboratories, Inc.

HAUSER DIVISION
 4750 Nautilus Court South
 Unit A
 Boulder, CO 80301
 (720) 406-4800 Fax (303) 581-0195
 Steve Ferry, Managing Director, Hauser Division
 http://www.microbac.com E-Mail: steve.ferry@microbac.com

CERTIFICATE OF ANALYSIS

Bottle Cap Co.
 Josh Kinney
 976 Cobblestone Way
 Eagle, ID 83616

Date Reported 05/28/10
 Date Received 05/27/10
 Order Number 1005-00366
 Invoice No. 14727
 Cust # B121
 Customer P.O. check #5621

| Sample | Analysis | Method | Test Result | Units | Minimum Reporting Limit | Actual Result | Date | Tech |
|--------|--------------------------------------|-------------------|-------------|-------|-------------------------|---------------|----------|------|
| 008 | Bluecontinued | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 05/28/10 | JLF |
| 009 | Green | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 05/28/10 | JLF |
| 010 | Black | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 05/28/10 | JLF |
| 011 | Silver (matte) | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 05/28/10 | JLF |
| 012 | Chrome (with chrome interior) | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 05/28/10 | JLF |
| 013 | Chrome (with gold interior) | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 05/28/10 | JLF |
| 014 | Gold | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 05/28/10 | JLF |
| 015 | Red | | | | | | | |



â

Microbac Laboratories, Inc.

HAUSER DIVISION
 4750 Nautilus Court South
 Unit A
 Boulder, CO 80301
 (720) 406-4800 Fax (303) 581-0195
 Steve Ferry, Managing Director, Hauser Division
 http://www.microbac.com E-Mail: steve.ferry@microbac.com

CERTIFICATE OF ANALYSIS

Bottle Cap Co.
 Josh Kinney
 976 Cobblestone Way
 Eagle, ID 83616

Date Reported 05/28/10
 Date Received 05/27/10
 Order Number 1005-00366
 Invoice No. 14727
 Cust # B121
 Customer P.O. check #5621

| Sample | Analysis | Method | Test Result | Units | Minimum Reporting Limit | Actual Result | Date | Tech |
|--------|------------------------------|-------------------|-------------|-------|-------------------------|---------------|----------|------|
| 015 | Red | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 05/28/10 | JLF |
| 016 | Jumbo size bottle cap | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 05/28/10 | JLF |
| 017 | Mini size bottle cap | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 05/28/10 | JLF |
| 018 | Magnet | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 05/28/10 | JLF |

Flags, footnotes and abbreviations (as needed)

| | |
|---|---------------------------------------|
| *OST = Outside Subcontracted Testing (For more details, please contact the Project Manager) | |
| NA = Not Analyzed | |
| N/A = Not Applicable | mg/L = Milligrams per Liter (ppm) |
| CFU = Colony Forming Units | mg/kg = Milligrams per Kilogram (ppm) |
| IU = International Units | ug/L = Micrograms per Liter (ppb) |
| g/100g = Grams per 100g of sample | ug/kg = Micrograms per Kilogram (ppb) |



â

Microbac Laboratories, Inc.

HAUSER DIVISION
4750 Nautilus Court South
Unit A
Boulder, CO 80301
(720) 406-4800 Fax (303) 581-0195
Steve Ferry, Managing Director, Hauser Division
<http://www.microbac.com> E-Mail: steve.ferry@microbac.com

CERTIFICATE OF ANALYSIS

Bottle Cap Co.
Josh Kinney
976 Cobblestone Way
Eagle, ID 83616

Date Reported 05/28/10
Date Received 05/27/10
Order Number 1005-00366
Invoice No. 14727
Cust # B121
Customer P.O. check #5621

| Sample | Analysis | Method | Test Result | Units | Minimum Reporting Limit | Actual Result | Date | Tech |
|--------|----------|--------|-------------|-------|-------------------------|---------------|------|------|
|--------|----------|--------|-------------|-------|-------------------------|---------------|------|------|

Report Authorized by Steve Ferry (Managing Director: Hauser Division)

Technical review performed by Project Manager (signature on file)

For any feedback concerning our services, please contact the Managing Director or James Nokes, President at james.nokes@microbac.com



â

Microbac Laboratories, Inc.

HAUSER DIVISION
4750 Nautilus Court South
Unit A
Boulder, CO 80301
(720) 406-4800 Fax (303) 581-0195
Steve Ferry, Managing Director, Hauser Division
<http://www.microbac.com> E-Mail: steve.ferry@microbac.com

CERTIFICATE OF ANALYSIS

Bottle Cap Co.
Josh Kinney
976 Cobblestone Way
Eagle, ID 83616

Date Reported 04/28/11
Date Received 04/25/11
Order Number 1104-00512
Invoice No. 20389
Cust # B121
Customer P.O. 04142011

| Sample | Analysis | Method | Test Result | Units | Minimum Reporting Limit | Actual Result | Date | Tech |
|--------|------------------------------|-------------------|-------------|-------|-------------------------|---------------|----------|------|
| 001 | PETAL CAP | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 04/27/11 | JLF |
| 002 | ANTIQUÉ GOLD | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 04/27/11 | JLF |
| 003 | ANTIQUÉ SILVER | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 04/27/11 | JLF |
| 004 | ZEBRA PRINT | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 04/27/11 | JLF |
| 005 | PURPLE | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | <90 | ppm | 90 | <90 | 04/27/11 | JLF |
| 006 | COPPER PLATED PENDANT | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | 94 | ppm | 90 | 94 | 04/27/11 | JLF |
| 007 | SILVER PLATED PENDANT | | | | | | | |
| | Lead by AA or ICP | CPSC-Lead Content | 93 | ppm | 90 | 93 | 04/27/11 | JLF |





â

Microbac Laboratories, Inc.

HAUSER DIVISION
4750 Nautilus Court South
Unit A
Boulder, CO 80301
(720) 406-4800 Fax (303) 581-0195
Steve Ferry, Managing Director, Hauser Division
<http://www.microbac.com> E-Mail: steve.ferry@microbac.com

CERTIFICATE OF ANALYSIS

Bottle Cap Co.
Josh Kinney
976 Cobblestone Way
Eagle, ID 83616

Date Reported 04/28/11
Date Received 04/25/11
Order Number 1104-00512
Invoice No. 20389
Cust # B121
Customer P.O. 04142011

| Sample | Analysis | Method | Test Result | Units | Minimum Reporting Limit | Actual Result | Date | Tech |
|--------|----------|--------|-------------|-------|-------------------------|---------------|------|------|
|--------|----------|--------|-------------|-------|-------------------------|---------------|------|------|

Flags, footnotes and abbreviations (as needed)

| | |
|---|---------------------------------------|
| *OST = Outside Subcontracted Testing (For more details, please contact the Project Manager) | |
| NA = Not Analyzed | |
| N/A = Not Applicable | mg/L = Milligrams per Liter (ppm) |
| CFU = Colony Forming Units | mg/kg = Milligrams per Kilogram (ppm) |
| IU = International Units | ug/L = Micrograms per Liter (ppb) |
| g/100g = Grams per 100g of sample | ug/kg = Micrograms per Kilogram (ppb) |

Report Authorized by Steve Ferry (Managing Director: Hauser Division)

Technical review performed by Project Manager (signature on file)

For any feedback concerning our services, please contact the Managing Director or James Nokes, President at james.nokes@microbac.com